

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
04	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114E	Philips	npn-DigiTransistor 100mA
04	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114TCA	Jiangsu	npn-DigiTransistor 100mA
04	3pin, smd, SOT323, 2x1,75mm	DTC114UA	Jiangsu	npn-DigiTransistor 100mA
04	3pin, smd, SOT523, 1,6x0,8mm	DTC114TE	Jiangsu	npn-DigiTransistor 100mA
09	3pin, smd, SC75, 1,6x0,8mm	DTC114E	Philips	npn-DigiTransistor 100mA
-09	3pin, smd, SOT323, 2x1,75mm	DTC114E	Philips	npn-DigiTransistor 100mA
0A	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC125T	Rohm	npn-DigiTransistor 100mA
0A	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC125T	Rohm	npn-DigiTransistor 100mA
0A	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC125T	Rohm	npn-DigiTransistor 100mA
0A	3pin, smd, UMT, 2x1,25x0,9mm	DTC125T	Rohm	npn-DigiTransistor 100mA
1	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC113T	Rohm	npn-DigiTransistor 100mA
1	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC113T	Rohm	npn-DigiTransistor 100mA
1	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC113T	Rohm	npn-DigiTransistor 100mA
1	3pin, smd, UMT, 2x1,25x0,9mm	DTC113T	Rohm	npn-DigiTransistor 100mA
111	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
111	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
111	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
111	3pin, smd, UMT, 2x1,25x0,9mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
113	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
113	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
113	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
113	3pin, smd, UMT, 2x1,25x0,9mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
12	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA123E	Rohm	pnp-DigiTransistor 100mA
12	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA123E	Rohm	pnp-DigiTransistor 100mA
12	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA123E	Rohm	pnp-DigiTransistor 100mA
12	3pin, smd, UMT, 2x1,25x0,9mm	DTA123E	Rohm	pnp-DigiTransistor 100mA
121	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
121	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
121	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
121	3pin, smd, UMT, 2x1,25x0,9mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
123	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC143Z	Rohm	npn-DigiTransistor 100mA
123	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143Z	Rohm	npn-DigiTransistor 100mA
123	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143Z	Rohm	npn-DigiTransistor 100mA
123	3pin, smd, UMT, 2x1,25x0,9mm	DTC143Z	Rohm	npn-DigiTransistor 100mA
13	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA143E	Rohm	pnp-DigiTransistor 100mA
13	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA143E	Rohm	pnp-DigiTransistor 100mA
13	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA143E	Rohm	pnp-DigiTransistor 100mA
13	3pin, smd, UMT, 2x1,25x0,9mm	DTA143E	Rohm	pnp-DigiTransistor 100mA
132	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
132	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
132	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
132	3pin, smd, UMT, 2x1,25x0,9mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
14	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA114E	Rohm	pnp-DigiTransistor 100mA
14	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA114E	Rohm	pnp-DigiTransistor 100mA
14	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA114E	Rohm	pnp-DigiTransistor 100mA
14	3pin, smd, UMT, 2x1,25x0,9mm	DTA114E	Rohm	pnp-DigiTransistor 100mA
142	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC123J	Rohm	npn-DigiTransistor 100mA
142	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC123J	Rohm	npn-DigiTransistor 100mA
142	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123J	Rohm	npn-DigiTransistor 100mA
142	3pin, smd, UMT, 2x1,25x0,9mm	DTC123J	Rohm	npn-DigiTransistor 100mA
15	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA124E	Rohm	pnp-DigiTransistor 100mA
15	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA124E	Rohm	pnp-DigiTransistor 100mA
15	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA124E	Rohm	pnp-DigiTransistor 100mA
15	3pin, smd, UMT, 2x1,25x0,9mm	DTA124E	Rohm	pnp-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
156	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
156	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
156	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
156	3pin, smd, UMT, 2x1,25x0,9mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
16	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA144E	Rohm	pnp-DigiTransistor 100mA
16	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA144E	Rohm	pnp-DigiTransistor 100mA
16	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA144E	Rohm	pnp-DigiTransistor 100mA
16	3pin, smd, UMT, 2x1,25x0,9mm	DTA144E	Rohm	pnp-DigiTransistor 100mA
165	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC144V	Rohm	npn-DigiTransistor 100mA
165	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144V	Rohm	npn-DigiTransistor 100mA
165	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144V	Rohm	npn-DigiTransistor 100mA
165	3pin, smd, UMT, 2x1,25x0,9mm	DTC144V	Rohm	npn-DigiTransistor 100mA
179	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
179	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
179	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
179	3pin, smd, UMT, 2x1,25x0,9mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
189	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC115U	Rohm	npn-DigiTransistor 100mA
189	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC115U	Rohm	npn-DigiTransistor 100mA
189	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115U	Rohm	npn-DigiTransistor 100mA
189	3pin, smd, UMT, 2x1,25x0,9mm	DTC115U	Rohm	npn-DigiTransistor 100mA
19	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA115E	Rohm	pnp-DigiTransistor 100mA
19	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA115E	Rohm	pnp-DigiTransistor 100mA
19	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA115E	Rohm	pnp-DigiTransistor 100mA
19	3pin, smd, UMT, 2x1,25x0,9mm	DTA115E	Rohm	pnp-DigiTransistor 100mA
22	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC123E	Rohm	npn-DigiTransistor 100mA
22	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC123E	Rohm	npn-DigiTransistor 100mA
22	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123E	Rohm	npn-DigiTransistor 100mA
22	3pin, smd, UMT, 2x1,25x0,9mm	DTC123E	Rohm	npn-DigiTransistor 100mA
23	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC143E	Rohm	npn-DigiTransistor 100mA
23	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143E	Rohm	npn-DigiTransistor 100mA
23	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143E	Rohm	npn-DigiTransistor 100mA
23	3pin, smd, UMT, 2x1,25x0,9mm	DTC143E	Rohm	npn-DigiTransistor 100mA
24	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC114E	Rohm	npn-DigiTransistor 100mA
24	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114E	Rohm	npn-DigiTransistor 100mA
24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	Rohm	npn-DigiTransistor 100mA
24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	Galaxy	npn-DigiTransistor 100mA
24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	MCC	npn-DigiTransistor 100mA
24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114ECA	Secos	npn-DigiTransistor 100mA
24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114EE	Secos	npn-DigiTransistor 100mA
24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114EKA	Secos	npn-DigiTransistor 100mA
24	3pin, smd, UMT, 2x1,25x0,9mm	DTC114E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC124E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC144E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC124E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, UMT, 2x1,25x0,9mm	DTC124E	Rohm	npn-DigiTransistor 100mA
25	3pin, smd, UMT, 2x1,25x0,9mm	DTC144E	Rohm	npn-DigiTransistor 100mA
29	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC115E	Rohm	npn-DigiTransistor 100mA
29	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC115E	Rohm	npn-DigiTransistor 100mA
29	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115E	Rohm	npn-DigiTransistor 100mA
29	3pin, smd, UMT, 2x1,25x0,9mm	DTC115E	Rohm	npn-DigiTransistor 100mA
3	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC143T	Rohm	npn-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
3	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143T	Rohm	npn-DigiTransistor 100mA
3	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143T	Rohm	npn-DigiTransistor 100mA
3	3pin, smd, UMT, 2x1,25x0,9mm	DTC143T	Rohm	npn-DigiTransistor 100mA
33	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA143X	Rohm	pnp-DigiTransistor 100mA
33	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA143X	Rohm	pnp-DigiTransistor 100mA
33	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA143X	Rohm	pnp-DigiTransistor 100mA
33	3pin, smd, UMT, 2x1,25x0,9mm	DTA143X	Rohm	pnp-DigiTransistor 100mA
35	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA124X	Rohm	pnp-DigiTransistor 100mA
35	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA124X	Rohm	pnp-DigiTransistor 100mA
35	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA124X	Rohm	pnp-DigiTransistor 100mA
35	3pin, smd, UMT, 2x1,25x0,9mm	DTA124X	Rohm	pnp-DigiTransistor 100mA
4	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC114T	Rohm	npn-DigiTransistor 100mA
4	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114T	Rohm	npn-DigiTransistor 100mA
4	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114T	Rohm	npn-DigiTransistor 100mA
4	3pin, smd, UMT, 2x1,25x0,9mm	DTC114T	Rohm	npn-DigiTransistor 100mA
43	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC143X	Rohm	npn-DigiTransistor 100mA
43	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143X	Rohm	npn-DigiTransistor 100mA
43	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143X	Rohm	npn-DigiTransistor 100mA
43	3pin, smd, UMT, 2x1,25x0,9mm	DTC143X	Rohm	npn-DigiTransistor 100mA
45	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC124X	Rohm	npn-DigiTransistor 100mA
45	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC124X	Rohm	npn-DigiTransistor 100mA
45	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124X	Rohm	npn-DigiTransistor 100mA
45	3pin, smd, UMT, 2x1,25x0,9mm	DTC124X	Rohm	npn-DigiTransistor 100mA
5	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC124T	Rohm	npn-DigiTransistor 100mA
5	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC124T	Rohm	npn-DigiTransistor 100mA
5	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124T	Rohm	npn-DigiTransistor 100mA
5	3pin, smd, UMT, 2x1,25x0,9mm	DTC124T	Rohm	npn-DigiTransistor 100mA
52	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA123Y	Rohm	pnp-DigiTransistor 100mA
52	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA123Y	Rohm	pnp-DigiTransistor 100mA
52	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA123Y	Rohm	pnp-DigiTransistor 100mA
52	3pin, smd, UMT, 2x1,25x0,9mm	DTA123Y	Rohm	pnp-DigiTransistor 100mA
53	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA143Y	Rohm	pnp-DigiTransistor 100mA
53	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA143Y	Rohm	pnp-DigiTransistor 100mA
53	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA143Y	Rohm	pnp-DigiTransistor 100mA
53	3pin, smd, UMT, 2x1,25x0,9mm	DTA143Y	Rohm	pnp-DigiTransistor 100mA
54	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA114Y	Rohm	pnp-DigiTransistor 100mA
54	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA114Y	Rohm	pnp-DigiTransistor 100mA
54	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA114Y	Rohm	pnp-DigiTransistor 100mA
54	3pin, smd, UMT, 2x1,25x0,9mm	DTA114Y	Rohm	pnp-DigiTransistor 100mA
6	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC144T	Rohm	npn-DigiTransistor 100mA
6	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144T	Rohm	npn-DigiTransistor 100mA
6	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144T	Rohm	npn-DigiTransistor 100mA
6	3pin, smd, UMT, 2x1,25x0,9mm	DTC144T	Rohm	npn-DigiTransistor 100mA
62	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC123Y	Rohm	npn-DigiTransistor 100mA
62	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC123Y	Rohm	npn-DigiTransistor 100mA
62	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123Y	Rohm	npn-DigiTransistor 100mA
62	3pin, smd, UMT, 2x1,25x0,9mm	DTC123Y	Rohm	npn-DigiTransistor 100mA
63	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC143Y	Rohm	npn-DigiTransistor 100mA
63	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143Y	Rohm	npn-DigiTransistor 100mA
63	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143Y	Rohm	npn-DigiTransistor 100mA
63	3pin, smd, UMT, 2x1,25x0,9mm	DTC143Y	Rohm	npn-DigiTransistor 100mA
64	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC114Y	Rohm	npn-DigiTransistor 100mA
64	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114Y	Rohm	npn-DigiTransistor 100mA
64	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114Y	Rohm	npn-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
64	3pin, smd, UMT, 2x1,25x0,9mm	DTC114Y	Rohm	npn-DigiTransistor 100mA
74	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA114W	Rohm	pnp-DigiTransistor 100mA
74	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA114W	Rohm	pnp-DigiTransistor 100mA
74	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA114W	Rohm	pnp-DigiTransistor 100mA
74	3pin, smd, UMT, 2x1,25x0,9mm	DTA114W	Rohm	pnp-DigiTransistor 100mA
76	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA144W	Rohm	pnp-DigiTransistor 100mA
76	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA144W	Rohm	pnp-DigiTransistor 100mA
76	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA144W	Rohm	pnp-DigiTransistor 100mA
76	3pin, smd, UMT, 2x1,25x0,9mm	DTA144W	Rohm	pnp-DigiTransistor 100mA
84	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC114W	Rohm	npn-DigiTransistor 100mA
84	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114W	Rohm	npn-DigiTransistor 100mA
84	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114W	Rohm	npn-DigiTransistor 100mA
84	3pin, smd, UMT, 2x1,25x0,9mm	DTC114W	Rohm	npn-DigiTransistor 100mA
86	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC144W	Rohm	npn-DigiTransistor 100mA
86	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144W	Rohm	npn-DigiTransistor 100mA
86	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144W	Rohm	npn-DigiTransistor 100mA
86	3pin, smd, UMT, 2x1,25x0,9mm	DTC144W	Rohm	npn-DigiTransistor 100mA
8A	3pin, smd, SC75, 1,6x0,8mm	DTC114E	ON	npn-DigiTransistor 100mA
8A	3pin, smd, SC89, 1,6x0,8mm	DTC114E	Weitron	npn-DigiTransistor 100mA
8A	3pin, smd, SOT723, 1,2x0,8mm	DTC114E	LRC	npn-DigiTransistor 100mA
8A	3pin, smd, SOT723, 1,2x0,8mm	DTC114E	Weitron	npn-DigiTransistor 100mA
8A	3pin, smd, SOT723, 1,2x0,8mm	DTC114E	ON	npn-DigiTransistor 100mA
8B	3pin, smd, SC75, 1,6x0,8mm	DTC124E	ON	npn-DigiTransistor 100mA
8B	3pin, smd, SC89, 1,6x0,8mm	DTC124E	Weitron	npn-DigiTransistor 100mA
8B	3pin, smd, SOT723, 1,2x0,8mm	DTC124E	LRC	npn-DigiTransistor 100mA
8B	3pin, smd, SOT723, 1,2x0,8mm	DTC124E	Weitron	npn-DigiTransistor 100mA
8B	3pin, smd, SOT723, 1,2x0,8mm	DTC124E	ON	npn-DigiTransistor 100mA
8C	3pin, smd, SC75, 1,6x0,8mm	DTC144E	ON	npn-DigiTransistor 100mA
8C	3pin, smd, SC89, 1,6x0,8mm	DTC144E	Weitron	npn-DigiTransistor 100mA
8C	3pin, smd, SOT723, 1,2x0,8mm	DTC144E	LRC	npn-DigiTransistor 100mA
8C	3pin, smd, SOT723, 1,2x0,8mm	DTC144E	Weitron	npn-DigiTransistor 100mA
8C	3pin, smd, SOT723, 1,2x0,8mm	DTC144E	ON	npn-DigiTransistor 100mA
8D	3pin, smd, SC75, 1,6x0,8mm	DTC114Y	ON	npn-DigiTransistor 100mA
8D	3pin, smd, SC89, 1,6x0,8mm	DTC114Y	Weitron	npn-DigiTransistor 100mA
8D	3pin, smd, SOT723, 1,2x0,8mm	DTC114Y	LRC	npn-DigiTransistor 100mA
8D	3pin, smd, SOT723, 1,2x0,8mm	DTC114Y	Weitron	npn-DigiTransistor 100mA
8D	3pin, smd, SOT723, 1,2x0,8mm	DTC114Y	ON	npn-DigiTransistor 100mA
8E	3pin, smd, SOT723, 1,2x0,8mm	DTC114T	ON	npn-DigiTransistor 100mA
8F	3pin, smd, SC75, 1,6x0,8mm	DTC143T	ON	npn-DigiTransistor 100mA
8F	3pin, smd, SC89, 1,6x0,8mm	DTC143T	Weitron	npn-DigiTransistor 100mA
8F	3pin, smd, SOT723, 1,2x0,8mm	DTC143T	LRC	npn-DigiTransistor 100mA
8F	3pin, smd, SOT723, 1,2x0,8mm	DTC143T	Weitron	npn-DigiTransistor 100mA
8F	3pin, smd, SOT723, 1,2x0,8mm	DTC143T	ON	npn-DigiTransistor 100mA
8H	3pin, smd, SC75, 1,6x0,8mm	DTC123E	ON	npn-DigiTransistor 100mA
8H	3pin, smd, SC89, 1,6x0,8mm	DTC123E	Weitron	npn-DigiTransistor 100mA
8H	3pin, smd, SOT723, 1,2x0,8mm	DTC123E	LRC	npn-DigiTransistor 100mA
8H	3pin, smd, SOT723, 1,2x0,8mm	DTC123E	Weitron	npn-DigiTransistor 100mA
8H	3pin, smd, SOT723, 1,2x0,8mm	DTC123E	ON	npn-DigiTransistor 100mA
8J	3pin, smd, SC75, 1,6x0,8mm	DTC143E	ON	npn-DigiTransistor 100mA
8J	3pin, smd, SC89, 1,6x0,8mm	DTC143E	Weitron	npn-DigiTransistor 100mA
8J	3pin, smd, SOT723, 1,2x0,8mm	DTC143E	LRC	npn-DigiTransistor 100mA
8J	3pin, smd, SOT723, 1,2x0,8mm	DTC143E	Weitron	npn-DigiTransistor 100mA
8J	3pin, smd, SOT723, 1,2x0,8mm	DTC143E	ON	npn-DigiTransistor 100mA
8K	3pin, smd, SC75, 1,6x0,8mm	DTC143Z	ON	npn-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
8K	3pin, smd, SC89, 1,6x0,8mm	DTC143Z	Weitron	npn-DigiTransistor 100mA
8K	3pin, smd, SOT723, 1,2x0,8mm	DTC143Z	LRC	npn-DigiTransistor 100mA
8K	3pin, smd, SOT723, 1,2x0,8mm	DTC143Z	Weitron	npn-DigiTransistor 100mA
8K	3pin, smd, SOT723, 1,2x0,8mm	DTC143Z	ON	npn-DigiTransistor 100mA
8L	3pin, smd, SC75, 1,6x0,8mm	DTC124X	ON	npn-DigiTransistor 100mA
8L	3pin, smd, SC89, 1,6x0,8mm	DTC124X	Weitron	npn-DigiTransistor 100mA
8L	3pin, smd, SOT723, 1,2x0,8mm	DTC124X	LRC	npn-DigiTransistor 100mA
8L	3pin, smd, SOT723, 1,2x0,8mm	DTC124X	Weitron	npn-DigiTransistor 100mA
8L	3pin, smd, SOT723, 1,2x0,8mm	DTC124X	ON	npn-DigiTransistor 100mA
8M	3pin, smd, SC75, 1,6x0,8mm	DTC123J	ON	npn-DigiTransistor 100mA
8M	3pin, smd, SC89, 1,6x0,8mm	DTC123J	Weitron	npn-DigiTransistor 100mA
8M	3pin, smd, SOT723, 1,2x0,8mm	DTC123J	LRC	npn-DigiTransistor 100mA
8M	3pin, smd, SOT723, 1,2x0,8mm	DTC123J	Weitron	npn-DigiTransistor 100mA
8M	3pin, smd, SOT723, 1,2x0,8mm	DTC123J	ON	npn-DigiTransistor 100mA
8N	3pin, smd, SC75, 1,6x0,8mm	DTC115E	ON	npn-DigiTransistor 100mA
8N	3pin, smd, SC89, 1,6x0,8mm	DTC115E	Weitron	npn-DigiTransistor 100mA
8N	3pin, smd, SOT723, 1,2x0,8mm	DTC115E	LRC	npn-DigiTransistor 100mA
8N	3pin, smd, SOT723, 1,2x0,8mm	DTC115E	Weitron	npn-DigiTransistor 100mA
8N	3pin, smd, SOT723, 1,2x0,8mm	DTC115E	ON	npn-DigiTransistor 100mA
8P	3pin, smd, SC75, 1,6x0,8mm	DTC144W	ON	npn-DigiTransistor 100mA
8P	3pin, smd, SC89, 1,6x0,8mm	DTC144W	Weitron	npn-DigiTransistor 100mA
8P	3pin, smd, SOT723, 1,2x0,8mm	DTC144W	LRC	npn-DigiTransistor 100mA
8P	3pin, smd, SOT723, 1,2x0,8mm	DTC144W	Weitron	npn-DigiTransistor 100mA
8P	3pin, smd, SOT723, 1,2x0,8mm	DTC144W	ON	npn-DigiTransistor 100mA
8T	3pin, smd, SOT723, 1,2x0,8mm	DTC144T	LRC	npn-DigiTransistor 100mA
8T	3pin, smd, SOT723, 1,2x0,8mm	DTC144T	Weitron	npn-DigiTransistor 100mA
8T	3pin, smd, SOT723, 1,2x0,8mm	DTC144T	ON	npn-DigiTransistor 100mA
9	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC115T	Rohm	npn-DigiTransistor 100mA
9	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC115T	Rohm	npn-DigiTransistor 100mA
9	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115T	Rohm	npn-DigiTransistor 100mA
9	3pin, smd, UMT, 2x1,25x0,9mm	DTC115T	Rohm	npn-DigiTransistor 100mA
91	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA113T	Rohm	pnp-DigiTransistor 100mA
91	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA113T	Rohm	pnp-DigiTransistor 100mA
91	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA113T	Rohm	pnp-DigiTransistor 100mA
91	3pin, smd, UMT, 2x1,25x0,9mm	DTA113T	Rohm	pnp-DigiTransistor 100mA
93	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA143T	Rohm	pnp-DigiTransistor 100mA
93	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA143T	Rohm	pnp-DigiTransistor 100mA
93	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA143T	Rohm	pnp-DigiTransistor 100mA
93	3pin, smd, UMT, 2x1,25x0,9mm	DTA143T	Rohm	pnp-DigiTransistor 100mA
94	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA114T	Rohm	pnp-DigiTransistor 100mA
94	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA114T	Rohm	pnp-DigiTransistor 100mA
94	3pin, smd, SC75, 1,6x0,8mm	DTC114T	ON	npn-DigiTransistor 100mA
94	3pin, smd, SC89, 1,6x0,8mm	DTC114T	Weitron	npn-DigiTransistor 100mA
94	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA114T	Rohm	pnp-DigiTransistor 100mA
94	3pin, smd, SOT723, 1,2x0,8mm	DTC114T	LRC	npn-DigiTransistor 100mA
94	3pin, smd, SOT723, 1,2x0,8mm	DTC114T	Weitron	npn-DigiTransistor 100mA
94	3pin, smd, UMT, 2x1,25x0,9mm	DTA114T	Rohm	pnp-DigiTransistor 100mA
95	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA124T	Rohm	pnp-DigiTransistor 100mA
95	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA124T	Rohm	pnp-DigiTransistor 100mA
95	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA124T	Rohm	pnp-DigiTransistor 100mA
95	3pin, smd, UMT, 2x1,25x0,9mm	DTA124T	Rohm	pnp-DigiTransistor 100mA
96	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA144T	Rohm	pnp-DigiTransistor 100mA
96	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA144T	Rohm	pnp-DigiTransistor 100mA
96	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA144T	Rohm	pnp-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
96	3pin, smd, UMT, 2x1,25x0,9mm	DTA144T	Rohm	pnp-DigiTransistor 100mA
99	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA115T	Rohm	pnp-DigiTransistor 100mA
99	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA115T	Rohm	pnp-DigiTransistor 100mA
99	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA115T	Rohm	pnp-DigiTransistor 100mA
99	3pin, smd, UMT, 2x1,25x0,9mm	DTA115T	Rohm	pnp-DigiTransistor 100mA
9A	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA125T	Rohm	pnp-DigiTransistor 100mA
9A	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA125T	Rohm	pnp-DigiTransistor 100mA
9A	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA125T	Rohm	pnp-DigiTransistor 100mA
9A	3pin, smd, UMT, 2x1,25x0,9mm	DTA125T	Rohm	pnp-DigiTransistor 100mA
C5T	3pin, smd, SOT523, 1,6x0,8mm	DTC143T	UTC	npn-DigiTransistor 100mA
C5Z	3pin, smd, SOT523, 1,6x0,8mm	DTC143Z	UTC	npn-DigiTransistor 100mA
C7T	3pin, smd, SOT523, 1,6x0,8mm	DTC114T	UTC	npn-DigiTransistor 100mA
C9T	3pin, smd, SOT523, 1,6x0,8mm	DTC144T	UTC	npn-DigiTransistor 100mA
CB4	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	UTC	npn-DigiTransistor 100mA
CB4T	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114T	UTC	npn-DigiTransistor 100mA
CB4T	3pin, smd, SOT323, 2x1,75mm	DTC114T	UTC	npn-DigiTransistor 100mA
CB4Y	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114Y	UTC	npn-DigiTransistor 100mA
CB5	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115E	UTC	npn-DigiTransistor 100mA
CB5	3pin, smd, SOT523, 1,6x0,8mm	DTC115E	UTC	npn-DigiTransistor 100mA
CB5T	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115T	UTC	npn-DigiTransistor 100mA
CC3	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123E	UTC	npn-DigiTransistor 100mA
CC3	3pin, smd, SOT323, 2x1,75mm	DTC123E	UTC	npn-DigiTransistor 100mA
CC3	3pin, smd, SOT523, 1,6x0,8mm	DTC123E	UTC	npn-DigiTransistor 100mA
CC3J	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123J	UTC	npn-DigiTransistor 100mA
CC3Y	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123Y	UTC	npn-DigiTransistor 100mA
CC4	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124E	UTC	npn-DigiTransistor 100mA
CC4T	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124T	UTC	npn-DigiTransistor 100mA
CE3	3pin, smd, SOT323, 2x1,75mm	DTC143E	UTC	npn-DigiTransistor 100mA
CE3T	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143T	UTC	npn-DigiTransistor 100mA
CE3T	3pin, smd, SOT323, 2x1,75mm	DTC143T	UTC	npn-DigiTransistor 100mA
CE3X	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143X	UTC	npn-DigiTransistor 100mA
CE3Z	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143Z	UTC	npn-DigiTransistor 100mA
CE3Z	3pin, smd, SOT323, 2x1,75mm	DTC143Z	UTC	npn-DigiTransistor 100mA
CE4	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144E	UTC	npn-DigiTransistor 100mA
CE4	3pin, smd, SOT323, 2x1,75mm	DTC144E	UTC	npn-DigiTransistor 100mA
CE4	3pin, smd, SOT523, 1,6x0,8mm	DTC144E	UTC	npn-DigiTransistor 100mA
CE4T	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144T	UTC	npn-DigiTransistor 100mA
CE4T	3pin, smd, SOT323, 2x1,75mm	DTC144T	UTC	npn-DigiTransistor 100mA
E02	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD123T	Rohm	npn-DigiTransistor 500mA
E02	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD123T	Rohm	npn-DigiTransistor 500mA
E04	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD114T	Rohm	npn-DigiTransistor 500mA
E04	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD114T	Rohm	npn-DigiTransistor 500mA
E07	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD163T	Rohm	npn-DigiTransistor 500mA
E07	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD163T	Rohm	npn-DigiTransistor 500mA
E11	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
E11	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
E11	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
E11	3pin, smd, UMT, 2x1,25x0,9mm	DTA113Z	Rohm	pnp-DigiTransistor 100mA
E12	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
E12	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
E12	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
E12	3pin, smd, UMT, 2x1,25x0,9mm	DTC113Z	Rohm	npn-DigiTransistor 100mA
E13	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
E13	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
E13	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
E13	3pin, smd, UMT, 2x1,25x0,9mm	DTA143Z	Rohm	pnp-DigiTransistor 100mA
E23	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC143Z	Rohm	nnp-DigiTransistor 100mA
E23	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143Z	Rohm	nnp-DigiTransistor 100mA
E23	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143Z	Rohm	nnp-DigiTransistor 100mA
E23	3pin, smd, UMT, 2x1,25x0,9mm	DTC143Z	Rohm	nnp-DigiTransistor 100mA
E32	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
E32	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
E32	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
E32	3pin, smd, UMT, 2x1,25x0,9mm	DTA123J	Rohm	pnp-DigiTransistor 100mA
E42	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC123J	Rohm	nnp-DigiTransistor 100mA
E42	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC123J	Rohm	nnp-DigiTransistor 100mA
E42	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123J	Rohm	nnp-DigiTransistor 100mA
E42	3pin, smd, UMT, 2x1,25x0,9mm	DTC123J	Rohm	nnp-DigiTransistor 100mA
E56	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
E56	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
E56	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
E56	3pin, smd, UMT, 2x1,25x0,9mm	DTA144V	Rohm	pnp-DigiTransistor 100mA
E65	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC144V	Rohm	nnp-DigiTransistor 100mA
E65	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144V	Rohm	nnp-DigiTransistor 100mA
E65	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144V	Rohm	nnp-DigiTransistor 100mA
E65	3pin, smd, UMT, 2x1,25x0,9mm	DTC144V	Rohm	nnp-DigiTransistor 100mA
E79	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
E79	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
E79	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
E79	3pin, smd, UMT, 2x1,25x0,9mm	DTA115U	Rohm	pnp-DigiTransistor 100mA
E89	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC115U	Rohm	nnp-DigiTransistor 100mA
E89	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC115U	Rohm	nnp-DigiTransistor 100mA
E89	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115U	Rohm	nnp-DigiTransistor 100mA
E89	3pin, smd, UMT, 2x1,25x0,9mm	DTC115U	Rohm	nnp-DigiTransistor 100mA
E92	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB123T	Rohm	pnp-DigiTransistor 500mA
E92	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB123T	Rohm	pnp-DigiTransistor 500mA
E94	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB114T	Rohm	pnp-DigiTransistor 500mA
E94	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB114T	Rohm	pnp-DigiTransistor 500mA
E97	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB153T	Rohm	pnp-DigiTransistor 500mA
E97	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB153T	Rohm	pnp-DigiTransistor 500mA
F03	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB143T	Rohm	pnp-DigiTransistor 500mA
F03	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB143T	Rohm	pnp-DigiTransistor 500mA
F11	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB113E	Rohm	pnp-DigiTransistor 500mA
F11	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB113E	Rohm	pnp-DigiTransistor 500mA
F12	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB123E	Rohm	pnp-DigiTransistor 500mA
F12	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB123E	Rohm	pnp-DigiTransistor 500mA
F13	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB143E	Rohm	pnp-DigiTransistor 500mA
F13	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD143T	Rohm	nnp-DigiTransistor 500mA
F13	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB143E	Rohm	pnp-DigiTransistor 500mA
F13	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD143T	Rohm	nnp-DigiTransistor 500mA
F14	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB114E	Rohm	pnp-DigiTransistor 500mA
F14	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB114E	Rohm	pnp-DigiTransistor 500mA
F21	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD113E	Rohm	nnp-DigiTransistor 500mA
F21	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD113E	Rohm	nnp-DigiTransistor 500mA
F22	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD123E	Rohm	nnp-DigiTransistor 500mA
F22	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD123E	Rohm	nnp-DigiTransistor 500mA
F23	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD143E	Rohm	nnp-DigiTransistor 500mA
F23	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD143E	Rohm	nnp-DigiTransistor 500mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
F24	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD114E	Rohm	npn-DigiTransistor 500mA
F24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD114E	Rohm	npn-DigiTransistor 500mA
F52	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB123Y	Rohm	pnp-DigiTransistor 500mA
F52	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB123Y	Rohm	pnp-DigiTransistor 500mA
F62	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD123Y	Rohm	npn-DigiTransistor 500mA
F62	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD123Y	Rohm	npn-DigiTransistor 500mA
G06	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD133H	Rohm	npn-DigiTransistor 500mA
G06	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD133H	Rohm	npn-DigiTransistor 500mA
G11	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB113Z	Rohm	pnp-DigiTransistor 500mA
G11	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB113Z	Rohm	pnp-DigiTransistor 500mA
G21	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD113Z	Rohm	npn-DigiTransistor 500mA
G21	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD113Z	Rohm	npn-DigiTransistor 500mA
G3C	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB122J	Rohm	pnp-DigiTransistor 500mA
G3C	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB122J	Rohm	pnp-DigiTransistor 500mA
G4C	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD122J	Rohm	npn-DigiTransistor 500mA
G4C	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD122J	Rohm	npn-DigiTransistor 500mA
G98	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB133H	Rohm	pnp-DigiTransistor 500mA
G98	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB133H	Rohm	pnp-DigiTransistor 500mA
K14	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA114G	Rohm	pnp-DigiTransistor 100mA
K14	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA114G	Rohm	pnp-DigiTransistor 100mA
K14	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA114G	Rohm	pnp-DigiTransistor 100mA
K14	3pin, smd, UMT, 2x1,25x0,9mm	DTA114G	Rohm	pnp-DigiTransistor 100mA
K15	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA124G	Rohm	pnp-DigiTransistor 100mA
K15	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA124G	Rohm	pnp-DigiTransistor 100mA
K15	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA124G	Rohm	pnp-DigiTransistor 100mA
K15	3pin, smd, UMT, 2x1,25x0,9mm	DTA124G	Rohm	pnp-DigiTransistor 100mA
K16	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA144G	Rohm	pnp-DigiTransistor 100mA
K16	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA144G	Rohm	pnp-DigiTransistor 100mA
K16	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA144G	Rohm	pnp-DigiTransistor 100mA
K16	3pin, smd, UMT, 2x1,25x0,9mm	DTA144G	Rohm	pnp-DigiTransistor 100mA
K19	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA115G	Rohm	pnp-DigiTransistor 100mA
K19	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA115G	Rohm	pnp-DigiTransistor 100mA
K19	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA115G	Rohm	pnp-DigiTransistor 100mA
K19	3pin, smd, UMT, 2x1,25x0,9mm	DTA115G	Rohm	pnp-DigiTransistor 100mA
K24	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC114G	Rohm	npn-DigiTransistor 100mA
K24	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114G	Rohm	npn-DigiTransistor 100mA
K24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114G	Rohm	npn-DigiTransistor 100mA
K24	3pin, smd, UMT, 2x1,25x0,9mm	DTC114G	Rohm	npn-DigiTransistor 100mA
K25	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC124G	Rohm	npn-DigiTransistor 100mA
K25	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC124G	Rohm	npn-DigiTransistor 100mA
K25	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124G	Rohm	npn-DigiTransistor 100mA
K25	3pin, smd, UMT, 2x1,25x0,9mm	DTC124G	Rohm	npn-DigiTransistor 100mA
K26	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC144G	Rohm	npn-DigiTransistor 100mA
K26	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144G	Rohm	npn-DigiTransistor 100mA
K26	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144G	Rohm	npn-DigiTransistor 100mA
K26	3pin, smd, UMT, 2x1,25x0,9mm	DTC144G	Rohm	npn-DigiTransistor 100mA
K29	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC115G	Rohm	npn-DigiTransistor 100mA
K29	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC115G	Rohm	npn-DigiTransistor 100mA
K29	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115G	Rohm	npn-DigiTransistor 100mA
K29	3pin, smd, UMT, 2x1,25x0,9mm	DTC115G	Rohm	npn-DigiTransistor 100mA
K38	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA1D3R	Rohm	pnp-DigiTransistor 100mA
K38	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA1D3R	Rohm	pnp-DigiTransistor 100mA
K38	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA1D3R	Rohm	pnp-DigiTransistor 100mA
K38	3pin, smd, UMT, 2x1,25x0,9mm	DTA1D3R	Rohm	pnp-DigiTransistor 100mA

Beispiele für Marking-Codes von Digitaltransistoren

Code	Gehäuse	Type	Hersteller	Bauteil
K4B	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC1D3R	Rohm	npn-DigiTransistor 100mA
K4B	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC1D3R	Rohm	npn-DigiTransistor 100mA
K4B	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC1D3R	Rohm	npn-DigiTransistor 100mA
K4B	3pin, smd, UMT, 2x1,25x0,9mm	DTC1D3R	Rohm	npn-DigiTransistor 100mA
L14	3pin, smd, SC59, 2,9x1,6x1,1mm	DTB114G	Rohm	pnp-DigiTransistor 500mA
L14	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTB114G	Rohm	pnp-DigiTransistor 500mA
L24	3pin, smd, SC59, 2,9x1,6x1,1mm	DTD114G	Rohm	npn-DigiTransistor 500mA
L24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTD114G	Rohm	npn-DigiTransistor 500mA
N04	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC123E	Diodes	npn-DigiTransistor 100mA
N04	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC123E	Diodes	npn-DigiTransistor 100mA
N04	3pin, smd, SOT323, 2x1,75mm	DTC123E	Diodes	npn-DigiTransistor 100mA
N04	3pin, smd, SOT523, 1,6x0,8mm	DTC123E	Diodes	npn-DigiTransistor 100mA
N08	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC143E	Diodes	npn-DigiTransistor 100mA
N08	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC143E	Diodes	npn-DigiTransistor 100mA
N08	3pin, smd, SOT323, 2x1,75mm	DTC143E	Diodes	npn-DigiTransistor 100mA
N08	3pin, smd, SOT523, 1,6x0,8mm	DTC143E	Diodes	npn-DigiTransistor 100mA
N13	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114E	Diodes	npn-DigiTransistor 100mA
N13	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	Diodes	npn-DigiTransistor 100mA
N13	3pin, smd, SOT323, 2x1,75mm	DTC114E	Diodes	npn-DigiTransistor 100mA
N13	3pin, smd, SOT523, 1,6x0,8mm	DTC114E	Diodes	npn-DigiTransistor 100mA
N14	3pin, smd, EM3, 1,6x0,8x0,7mm	DTA214Y	Rohm	pnp-DigiTransistor 100mA
N14	3pin, smd, SC59, 2,9x1,6x1,1mm	DTA214Y	Rohm	pnp-DigiTransistor 100mA
N14	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTA214Y	Rohm	pnp-DigiTransistor 100mA
N14	3pin, smd, UMT, 2x1,25x0,9mm	DTA214Y	Rohm	pnp-DigiTransistor 100mA
N17	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC124E	Diodes	npn-DigiTransistor 100mA
N17	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC124E	Diodes	npn-DigiTransistor 100mA
N17	3pin, smd, SOT323, 2x1,75mm	DTC124E	Diodes	npn-DigiTransistor 100mA
N17	3pin, smd, SOT523, 1,6x0,8mm	DTC124E	Diodes	npn-DigiTransistor 100mA
N20	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC144E	Diodes	npn-DigiTransistor 100mA
N20	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC144E	Diodes	npn-DigiTransistor 100mA
N20	3pin, smd, SOT323, 2x1,75mm	DTC144E	Diodes	npn-DigiTransistor 100mA
N20	3pin, smd, SOT523, 1,6x0,8mm	DTC144E	Diodes	npn-DigiTransistor 100mA
N24	3pin, smd, EM3, 1,6x0,8x0,7mm	DTC214Y	Rohm	npn-DigiTransistor 100mA
N24	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC115E	Diodes	npn-DigiTransistor 100mA
N24	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC214Y	Rohm	npn-DigiTransistor 100mA
N24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC115E	Diodes	npn-DigiTransistor 100mA
N24	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC214Y	Rohm	npn-DigiTransistor 100mA
N24	3pin, smd, SOT323, 2x1,75mm	DTC115E	Diodes	npn-DigiTransistor 100mA
N24	3pin, smd, SOT323, 2x1,75mm	DTC115E	Diodes	npn-DigiTransistor 100mA
N24	3pin, smd, SOT523, 1,6x0,8mm	DTC115E	Diodes	npn-DigiTransistor 100mA
N24	3pin, smd, UMT, 2x1,25x0,9mm	DTC214Y	Rohm	npn-DigiTransistor 100mA
p16	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	Philips	npn-DigiTransistor 100mA
t09	3pin, smd, SOT323, 2x1,75mm	DTC114E	Philips	npn-DigiTransistor 100mA
t16	3pin, smd, SOT23, 2,9x1,5x0,95mm	DTC114E	Philips	npn-DigiTransistor 100mA
WC	3pin, smd, SC59, 2,9x1,6x1,1mm	DTC114E	Chenmko	npn-DigiTransistor 100mA